RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: _10/542,708_

Source: _IFWO_

Date Processed by STIC: _05/19/2006_

ENTERED

IFWO

RAW SEQUENCE LISTING
PATENT APPLICATION: US/10/542,708

DATE: 05/19/2006
TIME: 12:01:52

Input Set : **A:\seq list.txt**
Output Set: **N:\CRF4\05192006\J542708.raw**

```
  5 <110> APPLICANT: THERAPTOSIS SA
  9 <120> TITLE OF INVENTION: MEANS FOR REGULATING THE EXPRESSION OF HUMAN ISOFORMS OF ANT
 13 <130> FILE REFERENCE: 1721-96
 15 <140> CURRENT APPLICATION NUMBER: 10/542,708
 17 <141> CURRENT FILING DATE: 2005-07-20
 20 <150> PRIOR APPLICATION NUMBER: PCT/FR04/000127
 22 <151> PRIOR FILING DATE: 2004-01-21
 25 <150> PRIOR APPLICATION NUMBER: FR 03 00 622
 27 <151> PRIOR FILING DATE: 2003-01-21
 31 <160> NUMBER OF SEQ ID NOS: 33
 35 <170> SOFTWARE: PatentIn version 3.1
 39 <210> SEQ ID NO: 1
 41 <211> LENGTH: 21
 43 <212> TYPE: RNA
 45 <213> ORGANISM: Artificial sequence
 49 <220> FEATURE:
 51 <223> OTHER INFORMATION: Human
 53 <220> FEATURE:
 55 <221> NAME/KEY: misc_feature
 57 <222> LOCATION: (20)..(20)
 59 <223> OTHER INFORMATION: deoxythymidine
 63 <220> FEATURE:
 65 <221> NAME/KEY: misc_feature
 67 <222> LOCATION: (21)..(21)
 69 <223> OTHER INFORMATION: deoxythymidine
 73 <400> SEQUENCE: 1
```
W--> **74 acagaucagu gcugagaagn n**   21
```
 77 <210> SEQ ID NO: 2
 79 <211> LENGTH: 21
 81 <212> TYPE: RNA
 83 <213> ORGANISM: Artificial sequence
 87 <220> FEATURE:
 89 <223> OTHER INFORMATION: Human
 91 <220> FEATURE:
 93 <221> NAME/KEY: misc_feature
 95 <222> LOCATION: (20)..(20)
 97 <223> OTHER INFORMATION: deoxythimidine
101 <220> FEATURE:
103 <221> NAME/KEY: misc_feature
105 <222> LOCATION: (21)..(21)
107 <223> OTHER INFORMATION: deoxythimidine
111 <400> SEQUENCE: 2
```
W--> **112 cuucucagca cugaucugun n**   21

RAW SEQUENCE LISTING   DATE: 05/19/2006
PATENT APPLICATION: US/10/542,708   TIME: 12:01:52

Input Set : **A:\seq list.txt**
Output Set: **N:\CRF4\05192006\J542708.raw**

```
    115 <210> SEQ ID NO: 3
    117 <211> LENGTH: 21
    119 <212> TYPE: RNA
    121 <213> ORGANISM: Artificial sequence
    125 <220> FEATURE:
    127 <223> OTHER INFORMATION: Human
    129 <220> FEATURE:
    131 <221> NAME/KEY: misc_feature
    133 <222> LOCATION: (20)..(20)
    135 <223> OTHER INFORMATION: deoxythimidine
    139 <220> FEATURE:
    141 <221> NAME/KEY: misc_feature
    143 <222> LOCATION: (21)..(21)
    145 <223> OTHER INFORMATION: deoxythimidine
    149 <400> SEQUENCE: 3
W--> 150 gcagaucacu gcagauaagn n                                      21
    153 <210> SEQ ID NO: 4
    155 <211> LENGTH: 21
    157 <212> TYPE: RNA
    159 <213> ORGANISM: Artificial sequence
    163 <220> FEATURE:
    165 <223> OTHER INFORMATION: Human
    167 <220> FEATURE:
    169 <221> NAME/KEY: misc_feature
    171 <222> LOCATION: (20)..(20)
    173 <223> OTHER INFORMATION: deoxythimidine
    177 <220> FEATURE:
    179 <221> NAME/KEY: misc_feature
    181 <222> LOCATION: (21)..(21)
    183 <223> OTHER INFORMATION: deoxythimidine
    187 <400> SEQUENCE: 4
W--> 188 cuuaucugca gugaucugcn n                                      21
    191 <210> SEQ ID NO: 5
    193 <211> LENGTH: 21
    195 <212> TYPE: RNA
    197 <213> ORGANISM: Artificial sequence
    201 <220> FEATURE:
    203 <223> OTHER INFORMATION: Human
    205 <220> FEATURE:
    207 <221> NAME/KEY: misc_feature
    209 <222> LOCATION: (20)..(20)
    211 <223> OTHER INFORMATION: deoxythimidine
    215 <220> FEATURE:
    217 <221> NAME/KEY: misc_feature
    219 <222> LOCATION: (21)..(21)
    221 <223> OTHER INFORMATION: deoxythimidine
    225 <400> SEQUENCE: 5
W--> 226 gggcaucgug gacugcauun n                                      21
    229 <210> SEQ ID NO: 6
```

Input Set : **A:\seq list.txt**
Output Set: **N:\CRF4\05192006\J542708.raw**

```
    231 <211> LENGTH: 21
    233 <212> TYPE: RNA
    235 <213> ORGANISM: Artificial sequence
    239 <220> FEATURE:
    241 <223> OTHER INFORMATION: Human
    243 <220> FEATURE:
    245 <221> NAME/KEY: misc_feature
    247 <222> LOCATION: (20)..(20)
    249 <223> OTHER INFORMATION: deoxythimidine
    253 <220> FEATURE:
    255 <221> NAME/KEY: misc_feature
    257 <222> LOCATION: (21)..(21)
    259 <223> OTHER INFORMATION: deoxythimidine
    263 <400> SEQUENCE: 6
W--> 264 aaugcagucc acgaugcccn n                                21
    267 <210> SEQ ID NO: 7
    269 <211> LENGTH: 21
    271 <212> TYPE: DNA
    273 <213> ORGANISM: Artificial sequence
    277 <220> FEATURE:
    279 <223> OTHER INFORMATION: Human
    281 <400> SEQUENCE: 7
    282 aaacagatca gtgctgagaa g                                 21
    285 <210> SEQ ID NO: 8
    287 <211> LENGTH: 21
    289 <212> TYPE: DNA
    291 <213> ORGANISM: Artificial sequence
    295 <220> FEATURE:
    297 <223> OTHER INFORMATION: Human
    299 <400> SEQUENCE: 8
    300 aagcagatca ctgcagataa g                                 21
    303 <210> SEQ ID NO: 9
    305 <211> LENGTH: 21
    307 <212> TYPE: DNA
    309 <213> ORGANISM: Artificial sequence
    313 <220> FEATURE:
    315 <223> OTHER INFORMATION: Human
    317 <400> SEQUENCE: 9
    318 aagcggatcg ctacaaataa g                                 21
    321 <210> SEQ ID NO: 10
    323 <211> LENGTH: 21
    325 <212> TYPE: DNA
    327 <213> ORGANISM: Artificial sequence
    331 <220> FEATURE:
    333 <223> OTHER INFORMATION: Human
    335 <400> SEQUENCE: 10
    336 aagggcatcg tggactgcat t                                 21
    339 <210> SEQ ID NO: 11
    341 <211> LENGTH: 21
```

RAW SEQUENCE LISTING   DATE: 05/19/2006
PATENT APPLICATION: US/10/542,708   TIME: 12:01:52

Input Set : **A:\seq list.txt**
Output Set: **N:\CRF4\05192006\J542708.raw**

```
  343 <212> TYPE: RNA
  345 <213> ORGANISM: Artificial sequence
  349 <220> FEATURE:
  351 <223> OTHER INFORMATION: Human
  353 <220> FEATURE:
  355 <221> NAME/KEY: misc_feature
  357 <222> LOCATION: (20)..(20)
  359 <223> OTHER INFORMATION: deoxythimidine
  363 <220> FEATURE:
  365 <221> NAME/KEY: misc_feature
  367 <222> LOCATION: (21)..(21)
  369 <223> OTHER INFORMATION: deoxythimidine
  373 <400> SEQUENCE: 11
W--> 374 acagaucagu gcugagaagn n                                    21
  377 <210> SEQ ID NO: 12
  379 <211> LENGTH: 21
  381 <212> TYPE: RNA
  383 <213> ORGANISM: Artificial sequence
  387 <220> FEATURE:
  389 <223> OTHER INFORMATION: Human
  391 <220> FEATURE:
  393 <221> NAME/KEY: misc_feature
  395 <222> LOCATION: (20)..(20)
  397 <223> OTHER INFORMATION: deoxythimidine
  401 <220> FEATURE:
  403 <221> NAME/KEY: misc_feature
  405 <222> LOCATION: (21)..(21)
  407 <223> OTHER INFORMATION: deoxythimidine
  411 <400> SEQUENCE: 12
W--> 412 cuucucagca cugaucugun n                                    21
  415 <210> SEQ ID NO: 13
  417 <211> LENGTH: 21
  419 <212> TYPE: RNA
  421 <213> ORGANISM: Artificial sequence
  425 <220> FEATURE:
  427 <223> OTHER INFORMATION: Human
  429 <220> FEATURE:
  431 <221> NAME/KEY: misc_feature
  433 <222> LOCATION: (20)..(20)
  435 <223> OTHER INFORMATION: deoxythimidine
  439 <220> FEATURE:
  441 <221> NAME/KEY: misc_feature
  443 <222> LOCATION: (21)..(21)
  445 <223> OTHER INFORMATION: deoxythimidine
  449 <400> SEQUENCE: 13
W--> 450 gcagaucacu gcagauaagn n                                    21
  453 <210> SEQ ID NO: 14
  455 <211> LENGTH: 21
  457 <212> TYPE: RNA
```

```
      459 <213> ORGANISM: Artificial sequence
      463 <220> FEATURE:
      465 <223> OTHER INFORMATION: Human
      467 <220> FEATURE:
      469 <221> NAME/KEY: misc_feature
      471 <222> LOCATION: (20)..(20)
      473 <223> OTHER INFORMATION: deoxythimidine
      477 <220> FEATURE:
      479 <221> NAME/KEY: misc_feature
      481 <222> LOCATION: (21)..(21)
      483 <223> OTHER INFORMATION: deoxythimidine
      487 <400> SEQUENCE: 14
W-->  488 cuuaucugca gugaucugcn n                                    21
      491 <210> SEQ ID NO: 15
      493 <211> LENGTH: 21
      495 <212> TYPE: RNA
      497 <213> ORGANISM: Artificial sequence
      501 <220> FEATURE:
      503 <223> OTHER INFORMATION: Human
      505 <220> FEATURE:
      507 <221> NAME/KEY: misc_feature
      509 <222> LOCATION: (20)..(20)
      511 <223> OTHER INFORMATION: deoxythimidine
      515 <220> FEATURE:
      517 <221> NAME/KEY: misc_feature
      519 <222> LOCATION: (21)..(21)
      521 <223> OTHER INFORMATION: deoxythimidine
      525 <400> SEQUENCE: 15
W-->  526 gcggaucgcu acaaauaagn n                                    21
      529 <210> SEQ ID NO: 16
      531 <211> LENGTH: 21
      533 <212> TYPE: RNA
      535 <213> ORGANISM: Artificial sequence
      539 <220> FEATURE:
      541 <223> OTHER INFORMATION: Human
      543 <220> FEATURE:
      545 <221> NAME/KEY: misc_feature
      547 <222> LOCATION: (20)..(20)
      549 <223> OTHER INFORMATION: deoxythimidine
      553 <220> FEATURE:
      555 <221> NAME/KEY: misc_feature
      557 <222> LOCATION: (21)..(21)
      559 <223> OTHER INFORMATION: deoxythimidine
      563 <400> SEQUENCE: 16
W-->  564 cuuauuugua gcgauccgcn n                                    21
      567 <210> SEQ ID NO: 17
      569 <211> LENGTH: 21
      571 <212> TYPE: RNA
      573 <213> ORGANISM: Artificial sequence
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 05/19/2006
PATENT APPLICATION: US/10/542,708   TIME: 12:01:53

Input Set : A:\seq list.txt
Output Set: N:\CRF4\05192006\J542708.raw

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 20/21
Seq#:2; N Pos. 20/21
Seq#:3; N Pos. 20/21
Seq#:4; N Pos. 20/21
Seq#:5; N Pos. 20/21
Seq#:6; N Pos. 20,21
Seq#:11; N Pos. 20/21
Seq#:12; N Pos. 20,21
Seq#:13; N Pos. 20,21
Seq#:14; N Pos. 20,21
Seq#:15; N Pos. 20,21
Seq#:16; N Pos. 20,21
Seq#:17; N Pos. 20,21
Seq#:18; N Pos. 20,21

VERIFICATION SUMMARY   DATE: 05/19/2006
PATENT APPLICATION: US/10/542,708   TIME: 12:01:53

Input Set : **A:\seq list.txt**
Output Set: **N:\CRF4\05192006\J542708.raw**

```
L:74 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:112 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:150 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:188 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:226 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:264 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:374 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:412 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:450 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:488 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:526 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:564 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:602 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:640 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
```